

## Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.26.2026

Page 1 of 10

### Flexible 80A V2 Resin

#### SECTION 1: Identification

##### Product Identifier

**Product Name:** Flexible 80A V2 Resin

##### Recommended Use of the Chemical and Restrictions on Use:

**Recommended Uses:** For use in Formlabs SLA Printers.

**Restrictions on Use:** Not determined or not applicable.

##### Manufacturer or Supplier Details

###### Manufacturer:

###### United States

Formlabs, Inc  
35 Medford St  
Suite 201 Somerville, MA 02143  
+1 617 855 0762  
sds@formlabs.com

##### Emergency Telephone Number:

###### United States

CHEMTREC  
1-800-424-9300 (24/7)

#### SECTION 2: Hazard Identification

##### Classification of the chemical in accordance with paragraph (d) of § 1910.1200:

Skin irritation, category 2  
Serious eye damage, category 1  
Skin sensitization, category 1A

##### Label elements

##### Hazard Symbol(s):



**Signal Word:** Danger

##### Hazard statement(s):

H315 Causes skin irritation  
H318 Causes serious eye damage  
H317 May cause an allergic skin reaction

##### Precautionary Statement(s):

P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves, protective clothing and eye protection.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P332+P313 If skin irritation occurs: Get medical advice/attention.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER or doctor.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.26.2026

Page 2 of 10

## Flexible 80A V2 Resin

P501 Dispose of contents and container in accordance with federal, state and local regulations.

**Hazards Not Otherwise Classified:** None

### SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: Trade Secret	Methacrylate monomer(s)	25-40
CAS Number: Trade Secret	Aliphatic polyurethane	<3
CAS Number: 162881-26-7	Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	<2

**Additional information:** No additional information

### SECTION 4: First Aid Measures

#### Description of Necessary Measures

##### General Notes:

Show this Safety Data Sheet to the doctor in attendance

##### After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. If respiratory symptoms develop or persist, seek medical advice/attention

##### After Skin Contact:

Wash affected area with plenty of soap and water. Remove contaminated clothing and launder before reuse. If skin irritation develops or persists, seek medical advice/attention

##### After Eye Contact:

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention

##### After Ingestion:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention

#### Most Important Symptoms and Effects, Both Acute and Delayed

##### Acute Symptoms and Effects:

Skin contact may result in redness, pain, burning and inflammation

Eye contact may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision

Dermal exposure may cause an allergic skin reaction. Symptoms may include irritation, redness, pain, rash, inflammation, itching, burning and dermatitis

##### Delayed Symptoms and Effects:

Effects are dependent on exposure (dose, concentration, contact time)

#### Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

##### Immediate Medical Attention:

In case of eye contact, seek prompt medical attention while rinsing is continued

##### Special Treatment:

No additional information.

##### Notes for the Doctor:

Treat symptomatically

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.26.2026

Page 3 of 10

## Flexible 80A V2 Resin

### SECTION 5: Firefighting Measures

#### Extinguishing Media

##### Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam

##### Unsuitable Extinguishing Media:

Do not use water jet

#### Specific Hazards Arising From The Chemical:

Thermal decomposition may produce irritating/toxic fumes/gases

#### Special Protective Equipment and Precautions for Fire-Fighters

##### Special Protective Equipment:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA)

##### Special precautions

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution

### SECTION 6: Accidental Release Measures

#### Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling

#### Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided

#### Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13)

### SECTION 7: Handling and Storage

#### Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

#### Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

### SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

#### Occupational Exposure Limit Values:

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.26.2026

Page 4 of 10

## Flexible 80A V2 Resin

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Aliphatic polyurethane	Trade Secret	TLV-TWA: 10 mg/m <sup>3</sup>
OSHA	Aliphatic polyurethane	Trade Secret	PEL: 5 mg/m <sup>3</sup>

### Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

### Information on Monitoring Procedures:

Not determined or not applicable.

### Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

### Individual Protection Measures, Such as Personal Protective Equipment

#### Eye and Face Protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

#### Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

#### Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

### General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

## SECTION 9: Physical and Chemical Properties

### Information on Basic Physical and Chemical Properties

Physical state	Liquid
Color	Not determined or not available.
Odor (includes odor threshold)	Characteristic acrylate
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	> 100°C
Flammability	Not flammable.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Flash point	> 93.5°C
Auto-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
pH	Not determined or not available.
Kinematic viscosity	Not determined or not available.

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.26.2026

Page 5 of 10

## Flexible 80A V2 Resin

<b>Solubilities</b>	Not determined or not available.
<b>Partition coefficient (n-octanol/water)</b>	Not determined or not available.
<b>Vapor pressure (includes evaporation rate)</b>	Not determined or not available.
<b>Density and/or relative density</b>	Not determined or not available.
<b>Relative vapor density</b>	Not determined or not available.
<b>Particle characteristics</b>	Not determined or not available.

### Other Information

No additional information.

## SECTION 10: Stability and Reactivity

### Reactivity:

Not reactive under recommended handling and storage conditions.

### Chemical Stability:

Stable under recommended handling and storage conditions.

### Possibility of hazardous reactions, including those associated with foreseeable emergencies:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

### Conditions to Avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Avoid storage >38°C (100°F) and exposure to light/direct sunlight and heat.

### Incompatible Materials:

Polymerization initiators, including peroxides, strong oxidizing agents, alcohols, copper, copper alloys, carbon steel, iron, rust, and strong bases.

### Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological Information

### Acute Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

#### Substance Data:

Name	Route	Result
Methacrylate monomer(s)	oral	LD50 Rat: 5564 mg/kg
	dermal	LD50 Rabbit: >5000 mg/kg
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	oral	LD50 Rat: >2000 mg/kg
	dermal	LD50 Rat: >2000 mg/kg

### Skin Corrosion/Irritation

#### Assessment:

Causes skin irritation.

#### Product Data:

No data available.

#### Substance Data:

Name	Result
Methacrylate monomer(s)	Causes skin irritation.

### Serious Eye Damage/Irritation

#### Assessment:

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.26.2026

Page 6 of 10

## Flexible 80A V2 Resin

Causes serious eye damage.

### Product Data:

No data available.

### Substance Data:

Name	Result
Methacrylate monomer(s)	Causes serious eye irritation.

### Respiratory or Skin Sensitization

#### Assessment:

May cause an allergic skin reaction.

#### Product Data:

No data available.

#### Substance Data:

Name	Result
Methacrylate monomer(s)	May cause an allergic skin reaction.
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	May cause an allergic skin reaction.

### Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

**Substance Data:** No data available.

#### International Agency for Research on Cancer (IARC):

Name	Classification
Methacrylate monomer(s)	Not Applicable
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	Not Applicable
Aliphatic polyurethane	Not Applicable

#### National Toxicology Program (NTP):

Name	Classification
Methacrylate monomer(s)	Not Applicable
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	Not Applicable
Aliphatic polyurethane	Not Applicable

**OSHA Carcinogens:** Not applicable

### Germ Cell Mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

### Reproductive Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.26.2026

Page 7 of 10

## Flexible 80A V2 Resin

### Specific Target Organ Toxicity (Single Exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

### Specific Target Organ Toxicity (Repeated Exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

### Information on Likely Routes of Exposure:

No data available.

### Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

### Interactive effects:

No additional information.

### Other Information:

No additional information.

## SECTION 12: Ecological Information

### Ecotoxicity

#### Acute (Short-Term) Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

**Substance Data:**

Name	Result
Methacrylate monomer(s)	Fish LC50 <i>Oryzias latipes</i> : >100 mg/L (96 hr)
	Aquatic Invertebrates EC50 <i>Daphnia magna</i> : 380 mg/L (48 hr [mobility])
	Aquatic Plants EC50 Algae: 345 mg/L (72 hr [growth rate])
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	Aquatic Plants EC50 <i>Desmodesmus subspicatus</i> : >0.26 mg/L (72 hr [growth rate, biomass])
	Fish LC50 <i>Danio rerio</i> : >0.09 mg/L (96 hr)
	Aquatic Invertebrates EC50 <i>Daphnia magna</i> : >1.175 mg/L (48 hr [mobility])

#### Chronic (Long-Term) Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

**Substance Data:**

Name	Result
Methacrylate monomer(s)	Aquatic Invertebrates NOEC <i>Daphnia magna</i> : 24.1 mg/L (21 d [reproduction])
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	Aquatic Invertebrates NOEC <i>Daphnia magna</i> : >= 0.0081 mg/L (21d [reproduction])

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.26.2026

Page 8 of 10

## Flexible 80A V2 Resin

### Persistence and Degradability

**Product Data:** No data available.

**Substance Data:**

Name	Result
Methacrylate monomer(s)	The substance is readily biodegradable. 92 - 100% degradation, measured by Oxygen consumption, after 14 days.
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	The substance is not readily biodegradable. 1% degradation in water, measured by CO2 evolution after 29 days.

### Bioaccumulative Potential

**Product Data:** No data available.

**Substance Data:**

Name	Result
Methacrylate monomer(s)	The substance has low potential to bioaccumulate (log kow: <=3).
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	The substance is not expected to bioaccumulate (BCF: < 5, aquatic species: Cyprinus carpio).

### Mobility in Soil

**Product Data:** No data available.

**Substance Data:**

Name	Result
Methacrylate monomer(s)	This substance has high water solubility (>100 g/L at 20 °C), a low vapor pressure (0.08 hPa at 20 °C), and low log Kow (0.42 at 25 °C). The substance has a low potential for adsorption to soil or sediments.
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	The substance is slightly mobile, therefore, adsorption to soil and sediment is expected (log Koc: 3.85).

### Results of PBT and vPvB assessment

**Product Data:**

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT.

**vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

**Substance Data:**

**PBT assessment:**

Methacrylate monomer(s)	The substance is not PBT.
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	The substance is not PBT.

**vPvB assessment:**

Methacrylate monomer(s)	The substance is not vPvB.
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	The substance is not vPvB.

**Other Adverse Effects:** No additional information.

## SECTION 13: Disposal Considerations

### Disposal Methods:

As supplied, this material is not considered a hazardous waste under RCRA. If the material has been altered or contaminated, or it has exceeded its recommended shelf life, the guidance may be inapplicable. Do not discharge into public wastewater or surface waters. It is the responsibility of the

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.26.2026

Page 9 of 10

## Flexible 80A V2 Resin

waste generator to properly characterize all waste materials according to applicable regulatory entities.

### Contaminated packaging:

Dispose in a safe manner in accordance with local and national regulations. Do not allow the product to be released into the environment.

## SECTION 14: Transport Information

### United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

### International Maritime Dangerous Goods (IMDG)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

### Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Bulk Name	Not Applicable
Ship Type	Not Applicable
Pollution Category	Not Applicable

## SECTION 15: Regulatory Information

### United States Regulations

**Inventory Listing (TSCA):** All ingredients are listed-active or exempt.

### Significant New Use Rule (TSCA Section 5):

Trade Secret	Methacrylate monomer(s)	Listed
162881-26-7	Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	Not Listed
Trade Secret	Aliphatic polyurethane	Not Listed

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.26.2026

Page 10 of 10

## Flexible 80A V2 Resin

### Export Notification under TSCA Section 12(b):

Trade Secret	Methacrylate monomer(s)	Listed
162881-26-7	Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	Not Listed

**SARA Section 302 Extremely Hazardous Substances:** None of the ingredients are listed.

**SARA Section 313 Toxic Chemicals:** None of the ingredients are listed.

**CERCLA:** None of the ingredients are listed.

**RCRA:** None of the ingredients are listed.

**Section 112(r) of the Clean Air Act (CAA):** None of the ingredients are listed.

**Massachusetts Right to Know:** None of the ingredients are listed.

**New Jersey Right to Know:** None of the ingredients are listed.

**New York Right to Know:** None of the ingredients are listed.

**Pennsylvania Right to Know:** None of the ingredients are listed.

**California Proposition 65:** None of the ingredients are listed.

**Additional information:** Version 1.0

## SECTION 16: Other Information

### Disclaimer:

This product has been classified in accordance with OSHA HCS 2024 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**NFPA:** 2-1-1

**HMIS:** 2-1-1

**Initial Preparation Date:** 01.26.2026

### Revision Notes:

Revision Date	Notes
2026-01-26	Version 1.0

**End of Safety Data Sheet**